



- Miniature screws for precision instruments in sizes from S0.6 to S0.8 and M1 to M2.6.
- Pan head machine screws of low profile. For applications with limited overhead space.

• Application

Reducing the size of equipment and devices
Compact precision instruments

• Material/Finish



	SNZS
Main Body	SUSXM7 (S.S. grade : A2)

• Part number specification

SNZS-M2-3



Order in number of packs.

The minimum order quantity is 1 piece. ➔ P.794

Unit : mm

Part Number	M	L											D1	L1	a	Max. Torque (N·m)	Mass (g)		
SNZS-S0.6	M0.6	1	1.5	2										1.3	0.4	0.25	0.005	0.0031 - 0.0058	
SNZS-S0.8	M0.8	1	1.5	2										1.6	0.5	0.25	0.01	0.0067 - 0.011	
SNZS-M1	M1			2	3	4	5							1.8	0.45		0.02	0.013 - 0.025	
SNZS-M1.4	M1.4			2	3	4	5	6	8	10				2	0.5		0.07	0.024 - 0.09	
SNZS-M1.6	M1.6			2	3	4	5	6	8	10	12			2.3	0.5		0.1	0.014 - 0.13	
SNZS-M1.7	M1.7			2	3	4	5	6	8	10	12	14		2.5	0.5		0.14	0.036 - 0.18	
SNZS-M2	M2			2	2.5	3	3.5	4	5	6	8	10	12	14	3	0.6		0.22	0.055 - 0.26
SNZS-M2.5	M2.5					3		4	5	6	8			3.8	0.8		0.46	0.13 - 0.28	
SNZS-M2.6	M2.6				2.5	3		4	5	6	8			4	0.8		0.53	0.13 - 0.3	

Part Number	Qty per pack*1
SNZS-S0.6	10
SNZS-S0.8	10
SNZS-M1	50
SNZS-M1.4	50
SNZS-M1.6	50
SNZS-M1.7	50
SNZS-M2	50
SNZS-M2.5	50
SNZS-M2.6	50

*1 The minimum order quantity is 1 piece. ➔ P.794

Individual Sales ➔ P.794	Cleanroom Wash & Packaging ➔ P.792	Screw Length Adjustment ➔ P.796	Vibration Resistant ➔ P.795	Modification process for captive use ➔ P.791
Available / Add'l charge	Available / Add'l charge	Not Available	Not Available	Not Available