

Phillips Cross Recessed Flat Head Titanium Machine Screws (with Ventilation Hole)

◆ Vacuum

Cleanroom wash & packaging


Non-Magnetic

Lightweight











- The ventilation hole helps discharging the gas accumulated at the bottom of the screw holes of machines and devices to support the vacuuming of a vacuum device.
- Flat head screw type whose head does not protrude after tightening.
- The surface is reformed by special chemical polishing and bright heat treatment. The amount of outgas is ultralow.
- Nonmagnetic.
- Cleanroom wash and cleanroom packing are completed. → P.792
- About bright heat treatment and titanium properties → P.624
- Application

Vacuum device / Vacuum container / FPD production device / Semiconductor manufacturing device / Electron microscope

Material/Finish

RoHS Compliant

	SVFT
Main body	TW270 (Type 1 titanium)

Unit: mm

Pa	rt Number 1	M	L 1 2			D1	L1	d max.	Mass (g)	
S۱	/FT-M3	M3	6	8	10		6	1.75	1.2	0.18 - 0.23
S۱	/FT-M4	M4	6	8	10	12	8	2.3	1.5	0.34 - 0.49

Part Number	Qty per pack*1
SVFT-M3	10
SVFT-M4	10

^{*1} The minimum order quantity is 1 piece. → P.794

Related Products

Phillips cross recessed flat head titanium machine screw without ventilation hole **SNFT** is available.



• Part number specification



Order in number of packs. The minimum order quantity is 1 piece. → P.794

1 Individual Sales → P.794 🥳 Cleanroom Wash & Packaging → P.792 🞳 in Screw Length Adjustment → P.796 🚅 Vibration Resistant → P.795 in Modification process for captive use → P.791 Available / Add'l charge | Cleanroom washed and packed | Available / Add'l charge | Not Available Please feel free to contact us

