

◆ Vacuum 

Cleanroom wash & packaging 

Non-Magnetic 


Lightweight





e-nedzi.com<sup>®</sup>







- The ventilation hole helps discharging the gas accumulated at the bottom of the screw holes of machines and devices to support the vacuuming of a vacuum device.
- The surface is reformed by special chemical polishing and bright heat treatment. The amount of outgas is ultralow.
- Nonmagnetic.
- Cleanroom wash and cleanroom packing are completed. → P.792
- About bright heat treatment and titanium properties → P.624
- Application

Vacuum device / Vacuum container / FPD production device / Semiconductor manufacturing device / Electron microscope

Material/Finish



	SVPT	
Main body	TW270 (Type 1 titanium)	

Unit:mm

Part Number	M	L <b>2</b>	.•2						D1	L1	d max.	Mass (g)	
SVPT-M3	M3	6	8	10	12	16	20			5.5	2	1.2	0.31 - 0.63
SVPT-M4	M4	6	8	10	12	16	20	25		7	2.6	1.5	0.59 - 1.4
SVPT-M5	M5		8	10	12	16	20	25	30	9	3.3	1.5	1.3 - 2.8

Part Number	Qty per pack*1
SVPT-M3	10
SVPT-M4	10
SVPT-M5	10

<sup>\*1</sup> The minimum order quantity is 1 piece. → P.794

## Related Products

Phillips cross recessed pan head titanium machine screw without ventilation hole **SNPT** is available. → P.629



• Part number specification



Order in number of packs. The minimum order quantity is 1 piece. → P.794

1 Individual Sales → P.794 🕵 Cleanroom Wash & Packaging → P.792 🔐 Screw Length Adjustment → P.796 🖭 Vibration Resistant → P.795 🔐 Modification process for captive use → P.791 Available / Add'l charge | Cleanroom washed and packed | Available / Add'l charge | Not Available Please feel free to contact us

