
CAD Overload Vacuum Cleanroom wash & packaging SUS Stainless steel







- The ventilation hole helps discharging the gas accumulated at the bottom of the screw holes of machines and devices to support the vacuuming of a vacuum device.
- Cleanroom wash and cleanroom packing are completed. → P.792
- Application

Vacuum device / Vacuum container / FPD production device / Semiconductor manufacturing device / Electron microscope

Material/Finish

 MROHS Compliant

	SVTS
Main body	SUSXM7 (Equivalent to SUS304)

Unit:mm

Part Number	M	L 1 2										В	a	t max.	d max.	Mass (g)
SVTS-M3	M3	4	6	8	10		15					1.5	0.4	0.3	1.2	0.2 - 0.7
SVTS-M4	M4		6	8	10		15	20				2	0.4	0.3	1.5	0.4 - 1.6
SVTS-M5	M5		6	8	10	12	15	20	25			2.5	0.5	0.5	1.5	0.7 - 3.1
SVTS-M6	M6			8	10	12	15	20	25	30		3	0.5	0.5	2	1.4 - 5.3
SVTS-M8	M8				10	12		20	25	30	35	4	0.6	0.5	2	3.2 - 11.2

Part Number	Qty per pack*1			
SVTS-M3	20			
SVTS-M4	20			
SVTS-M5	20			
SVTS-M6	20			
SVTS-M8	20			

*1 The minimum order quantity is 1 piece. → P.794

• Part number specification



Order in number of packs.

The minimum order quantity is 1 piece. → P.794

