

http://www.koganei.co.jp



# Adjustment Type Linear Orifice® Shock Absorber KSHPseries



## KSHP series can solve the problems for users worried about fine tuning absorption of impacts!

# Introducing the KSHP Series of **Adjustment Type Linear Orifice® Shock Absorber**

## New release of our first adjustment type linear orifice models!

Shorten operation cycle times by adjusting the absorbing capacity of the end of strokes.

## Possible to fine tune for both impact speed and load for proper shock absorption!


Our own construction makes fine tuning easy and minimizes extreme changes in shock absorbing capacity.

## Maximum of more than 3 million operation cycles!

Linear orifice construction provides longer life.

## Compliant with H1 grade food equipment specifications!

Uses NSF H1 grade oil (non silicon).



#### Scaled from 0 to 6

Numbers are easy to see and indelible

Set to 6 on the scale for maximum absorption Set to 0 on the scale for minimum absorption

#### Adjusting knob

Can be rotated to the left or right

#### Red mark

Align the red mark to a value on the scale

#### For KSHP6 and KSHP8



#### Scaled from 0 to 6 (adjusting knob)

Set to 6 on the scale for maximum absorption Set to 0 on the scale for minimum absorption

#### Key slot on body

Align a value on the scale to the key slot

#### Lock screw

Lock the adjusting knob in position by tightening the lock screw after completing adjustment (excluding KSHP6 and KSHP8)



## Stopper nut not needed Note

Workpieces directly contact the end of the body, so there is no need for mounting a stopper nut. Mounting is easy and saves space.

Note: Except for models with caps.

## Silent design

Reducing the impact value at collision decreases the noise at workpiece impact.



#### KSHP basic specifications


Model	Body thread size × pitch	Absorption stroke mm [in]	Maximum absorption capacity J [ft-lbf]	Maximum impact speed m/s [ft·s]	
New KSHP6×4 (C)	M6×0.75	4 [0.157]	0.25 [0.18]	1 [3.3]	
New KSHP8×6 (C)	M8×0.75	6 [0.236]	0.75 [0.55]	1 [3.3]	
New KSHP8×6 (C) -11	M8×1	6 [0.236]	0.75 [0.55]	1 [3.3]	
KSHP10×8 (C)	M10×1	8 [0.315]	2 [1.5]	2 [6.6]	
KSHP12×10 (C,R)	M12×1	10 [0.394]	4 [3.0]	2 [6.6]	
KSHP14×12 (C,R)	M14×1.5	12 [0.472]	5 [3.7]	2 [6.6]	
KSHP16×15 (C,R)	M16×1.5	15 [0.591]	10 [7.4]	2 [6.6]	
KSHP18×20 (C,R)	M18×1.5	20 [0.787]	15 [11.1]	2 [6.6]	
KSHP20×22 (C,R)	M20×1.5	22 [0.866]	20 [14.8]	2 [6.6]	
KSHP25×25 (C,R)	M25×1.5	25 [0.984]	40 [29.5]	2 [6.6]	
KSHP30×30 (C,R)	M30×1.5	30 [1.181]	110 [81.1]	3 [9.8]	
KSHP36×50 (C,R)	M36×1.5	50 [1.969]	200 [147.5]	3 [9.8]	

## Linear orifice for low impact and long life

Use of a linear orifice mechanism, in which the orifice changes linearly, ensures smooth shock absorption and long life.

Achieves the performance of shock absorbers with next-size-up stroke lengths, to reduce vibrations on mounting frames and equipment.

 Operation principle The piston stroke linearly squeezes the oil path, for soft absorption of shocks.



Single orifice type shock absorber Multi orifice type shock absorber Linear orifice type shock absorber Stroke

"Linear orifice" is a registered trademark of Koganei Corporation.

INDEX	Features ···················	Specifications ····································
	Safety Precautions ····································	Order Codes
	Handling Instructions and Precautions 5	Inner Construction and Major Parts and Materials · · · 9
	Selection Guidelines ····································	Dimensions ··················

Before selecting and using the products, please read all the "Safety Precautions" carefully to ensure proper product use. The Safety Precautions described below are to help you use the product safely and correctly, and to prevent injury or damage to you,

Be sure to observe these safety precautions together with the following safety regulations of ISO4414 (Pneumatic fluid power - General rules and safety requirements for systems and their components), and JIS B 8370 (General rules relating to systems)

The directions are ranked according to degree of potential danger or damage: "DANGER", "WARNING", "CAUTION" and "ATTENTION."

⚠ DANGER	Indicates situations that can be clearly predicted as dangerous.  Death or serious injury may result if the situation is not avoided.  It could also result in damage or destruction of assets.
<u></u> ₩ARNING	Indicates situations that, while not immediately dangerous, could become dangerous.  Death or serious injury may result if the situation is not avoided.  It could also result in damage or destruction of assets.
<b>CAUTION</b>	Indicates situations that, while not immediately dangerous, could become dangerous. Failure to avoid the situation creates the risk of minor or semi-serious injury. It could also result in damage or destruction of assets.
ATTENTION	While there is little chance of injury, this content refers to points that should be observed for appropriate use of the product.

This product was designed and manufactured for use in general industrial machinery.

When selecting and handling equipment, the system designer or another person with sufficient knowledge and experience should always read the "Safety Precautions", "catalog", "instruction manual", and other literature before commencing operation. Improper handling is dangerous.

After reading the instruction manual, catalog, and other documentation, always place them in a location that allows easy availability

for reference to users of this product.

Whenever transferring or lending the product to another person, always attach the catalog, instruction manual, and other information to the product where they are easily visible in order to ensure that the new user can use the product safely and properly.

The danger, warning and caution items listed under these "Safety Precautions" do not cover all possible contingencies. Read the

catalog and instruction manual carefully, and always keep safety first.

## **DANGER**

- Do not use the product for the purposes listed below:
   1. Medical equipment related to maintenance or management of human lives or bodies.
  - 2. Machines or equipment designed for the purpose of moving or transporting people.

    3. Critical safety components in mechanical devices.

  - This product has not been planned or designed for purposes that require high levels of safety. Using the product in any of the ways described above creates the risk of loss of human life.
- Do not use the product in locations with or near dangerous substances such as flammable or ignitable substances. This product is not explosion-proof. It could ignite or burst into flames.
- When mounting the product and workpiece, always make sure they are firmly supported and secured in place. Ensure the mounting material is strong enough. If the product falls over, is dropped, or breaks, it may result in injury.
- Never attempt to modify the product in any way. Doing so can cause an abnormal operation and create the risk of injury, etc.
- Never attempt inappropriate disassembly, assembly or repair of the product relating to basic construction, or to its performance or to functions. This can lead to injury, etc.
- Do not splash water on the product. Spraying it with water, washing it, or using it under water could result in malfunction leading to injury, etc.
- While the product is in operation, avoid touching it with your hands or otherwise approaching too close. Also, do not mount shock absorbers or make adjustments while the equipment is in operation. The equipment may move suddenly, possibly resulting in injury.

## **WARNING**

- Do not use the product in excess of its specification range. Doing so creates the risk of product breakdown, loss of function, or damage. It could also drastically reduce operating life.
- When conducting any kind of operation for the product, such as maintenance, inspection, repair, or replacement, always turn off the air supply and power to the equipment and make sure that the equipment is completely stopped.
- When mounting the product, always follow the handling instructions and precautions. Also when mounting the product, before operation, check that the mounting nut is tightened and not loose and then operate the product. If the mounting nut is loose, etc., this will result in damage to the equipment and accidents
- Do not allow the product to be thrown into fire. The product could explode, ignite, and/or release toxic gases.
- Do not apply a load to the product, or place other objects on

- it. It could lead to damaged or broken products that result in degraded performance, function stops, etc.
- If the product has not been used for over 30 days, it is possible that the contacting parts may have become stuck, leading to abnormal operation at impact. Check for proper operation a minimum of once every 30 days.
- Do not use the product at the beach in direct sunlight, near mercury lamps, or near equipment that generates ozone. Ozone causes rubber components to deteriorate resulting in reduced performance, or a limitation or stop of functions.

## /\ CAUTION

- Do not use in locations that are subject to direct sunlight (ultraviolet rays); locations with high humidity and temperature, dust, salt, or iron powder; or in locations with fluids and/or ambient atmosphere that include organic solvents, phosphate ester type hydraulic oil, sulfur dioxide, chlorine gas, acids, etc. It could lead to early shutdown of some functions, a sudden degradation of performance, and a reduced operating life. For information about materials, see Major Parts and Materials.
- When installing the product, be sure to allow adequate work space around it. Failure to do so will make it more difficult to conduct daily inspections or maintenance, which could eventually lead to system shutdown or damage to the product.
- When transporting or mounting a heavy product, firmly support the product using a lift or support, or use multiple people to ensure personal safety. Also, wear protective gloves and use safety shoes etc. for protection as necessary.
- Always post an "operations in progress" sign for installations, adjustments, or other operations, to avoid unintentional supplying of air or electrical power, etc. Unintentional supplying of air or electrical power can cause the equipment to operate and may result in injury.

Never apply lubrication to the product sliding parts. This leads to changes in the physical properties and deterioration of the materials used, resulting in reduced functionality.

- Attempting to use the shock absorber with a cap over the specification range could result in damage to the cap or to its flying off and causing personal injury. Moreover, if cracks or fractures appear in the cap, replace it as quickly as possible.
- Always wash your hands thoroughly after touching the oil or grease used on the shock absorber. There is a danger that the grease or oil from your hands will get on the cigarette and burn, releasing toxic gases, as you smoke the cigarette.
- As a means to prevent vibration, do not use the product at a high frequency that exceeds the value in the catalog. It could drastically reduce the product's operating life.

## **ATTENTION**

- Whenever considering use of this product in situations or environments not specifically noted in the catalog or instruction manual, or in applications where safety is an important requirement such as in aircraft equipment, combustion equipment, leisure equipment, safety equipment, and other places where human life or assets may be greatly affected, take adequate safety precautions such as allowing plenty of margin for ratings and performance, or fail-safe measures. Contact the sales department of Koganei regarding use in such applications.
- When the product can no longer be used, or is no longer necessary, dispose of it appropriately, according to the "Law Regarding the Disposal and Cleaning of Waste" or other local governmental rules and regulations, as industrial waste.
- The product can exhibit degraded performance and function over its operating life. Always conduct daily inspections and confirm that all requisite system functions are satisfied, to prevent accidents from happening.
- When handling the product, wear protective gloves, safety glasses, safety shoes, and other protective clothing.
- The maximum absorption in the specifications are for a normal temperature (20 to 25°C [68 to 77°F]). Be aware that performance and characteristics change depending on the operating temperature.
- The shock absorber's absorption capacity changes depending on the speed of the impacting object. Use the product within the ranges of the selection graphs (impact mass, impact speed diagram) on page 6.
- For inquiries about the product, consult your nearest Koganei sales office or Koganei Overseas Department. The addresses and telephone numbers are shown on the back cover of this catalog.

## ♠ Other

- Always observe the following items.
  - When using this product in a system, use only genuine Koganei parts or equivalent (recommended) parts.
     When conducting maintenance and repairs, always use genuine Koganei parts or compatible parts (recommended parts).
  - Always observe the prescribed methods and procedures.
  - Never attempt unauthorized disassembly or assembly of the product relating to its basic construction, its performance, or its functions.

Koganei shall not be held responsible for any problems that occur as a result of these items not being properly observed.

#### **Warranty and General Disclaimer**

- 1. Warranty Period
  - Koganei warrants this product for a period of no more than 180 days from delivery.
- 2. Scope of Warranty and General Disclaimer
- (1) The Koganei product warranty covers individual products. When a product purchased from Koganei or from an authorized Koganei distributor malfunctions during the warranty period in a way that is found to be attributable to Koganei responsibility, Koganei will repair or replace the product free of charge. Even if a product is still within the warranty period, its durability is determined by its operation cycles and other factors. Contact your nearest Koganei sales office or the Koganei overseas department for details.
- (2) Koganei shall not be held responsible for any losses or for any damage to other machinery caused by breakdown, loss of function, or loss of performance of Koganei products.
- (3) Koganei shall not be held responsible for any losses due to use or storage of the product in a way that is outside of the product specifications prescribed in Koganei catalogs and the instruction manual, and/or due to actions that violate the mounting, installation, adjustment maintenance and other safety precautions.
- adjustment, maintenance and other safety precautions.

  (4) Koganei shall not be held responsible for any losses caused by breakdown of the product due to factors outside the responsibility of Koganei, including but not limited to fire, natural disaster, the actions of third parties, and intentional actions or errors by you.

#### **Handling Instructions and Precautions**



#### **General precautions**

Cover the unit when mounting it in locations where it might be subject to excessive dust, dripping water, dripping oil, etc. Dents, scratches, water, oil, or dust on the piston rod results in damage and decreases service life.



#### Mounting

- 1. Mount the shock absorber so that the load contacts at the center of the rod, and it is not subjected to off-centered loads. An off-centered load could result in breakage or defective rod returns
- 2. Two or more shock absorbers can be mounted in parallel, to boost absorption capacity. In such an arrangement, however, be careful to ensure that the load is evenly absorbed by each shock absorber.
- 3. If using a shock absorber with a plastic or rubber cap, always mount a stopper nut (-S) or an external stopper to ensure that the cap is not subjected to loads at the stroke end.
  - You can use a shock absorber with plastic cap without a stopper nut or external stopper, but over the long-term, the stop location changes due to cap deformation and wear.
- 4. For swing impacts, ensure that the angle of eccentricity between the load direction and the center line of the shock absorber is at or below the specification values shown on
- 5. If using a shock absorber with a rubber cap for lateral impacts, such as eccentric or swing impacts, note that the rubber cap may come off or be damaged.
- 6. When mounting the shock absorber, always use the following maximum tightening torque guidelines. Tightening using excessive force may result in damage.

	N⋅m [ft⋅lbf]
Model	Maximum tightening torque
KSHP6 × 4 (C)	0.85 [0.63]
KSHP8 × 6 (C) (-11)	2.5 [1.84]
KSHP10×8 (C)	6.5 [4.79]
KSHP12×10 (C,R)	8.0 [5.90]
KSHP14×12 (C,R)	12.0 [8.85]
KSHP16×15 (C,R)	20.0 [14.75]
KSHP18×20 (C,R)	25.0 [18.44]
KSHP20×22 (C,R)	30.0 [22.13]
KSHP25×25 (C,R)	42.0 [30.98]
KSHP30 × 30 (C,R)	60.0 [44.26]
KSHP36 × 50 (C,R)	72.0 [53.11]

- 7. Ensure that the hardness of the surface directly impacting the piston rod of the shock absorber is over HRc40 (excluding models with rubber or plastic caps).
- 8. Be aware that performance and characteristics change depending on the operating temperature.
- 9. Rubber caps are consumable parts. The service life will vary depending on conditions of the application, replace these parts according to their condition.




#### Adjusting the shock absorbing capacity

- 1. For the KSHP10 to KSHP36 models, align the red mark on the adjusting knob to the 6 on the scale. For the KSHP6 and KSHP8 models, align the 6 on the scale to the key slot on the body.
- 2. For large impacts on collision or if a long time is required for a full stroke, reduce the value on the scale gradually.
- 3. Always tighten the lock screw to fix the knob in place after completing adjustment. (excluding KSHP6 and KSHP8)



Lock screw dimensions mm [in]



Model Symbol	Α	В
KSHP16 to 18	1.3 [0.051]	M2.5 × 0.45
KSHP20 to 36	1.5 [0.059]	M3×0.5

Align a value on the scale to

the key slot


#### Cautions for using the selection graphs

- 1. The solid lines on the selection graphs are calculated with an operating air pressure of 0.5 MPa [73 psi], the recommended cylinder diameter (maximum diameter), and the adjusting knob scale set to 6. The dotted lines on the selection graphs are approximations using a 0 setting on the scale.
- 2. The values in the selection graphs are for room temperature (20 to 25 °C [68 to 77 °F]). Be aware that performance and characteristics change depending on the operating temperature.
- Always select a shock absorber that is below the solid line. Also, we recommend using a shock absorber that is above the dotted line.


#### Selection graph

Graph when scale is set to 6 Graph when scale is set to 0 (approximation)


#### KSHP6×4




#### KSHP8×6




KSHP10×8




■ KSHP12×10




KSHP14×12




KSHP16×15




KSHP18 × 20




■ KSHP20×22




KSHP25 × 25



■ KSHP30 × 30



■ KSHP36 × 50



1 kg=2.205 lb 1 m/s=3.28 ft/sec

#### Recommended cylinder bore size

m	ın	n	Γ	i

	mm [in]												
Cylinder bore Model	φ4.5 [0.177]	φ6 [0.236]	φ8 [0.315]	φ10 [0.394]	φ12 [0.472]	φ16 [0.630]	φ20 [0.787]	φ25 [0.984]	φ32 [1.260]	φ 40 [1.575]	φ50 [1.969]	φ63 [2.480]	φ80 [3.150]
KSHP6×4			•										
KSHP8×6 (-11)													
KSHP10×8													
KSHP12×10													
KSHP14×12													
KSHP16×15													
KSHP18×20													
KSHP20×22													
KSHP25×25													
KSHP30×30													
KSHP36×50													

## Adjustment type linear orifice shock absorber

#### **KSHP Series**



#### **Specifications**

Item	Model	KSHP6×4	KSHP8 × 6, KSHP8 × 6-11
Maximum absorption capacity	J [ft·lbf]	0.25 [0.18]	0.75 [0.55]
Absorption stroke	mm [in]	4 [0.157]	6 [0.236]
Maximum impact speed	m/s [ft/s]	1 [3	3.3]
Maximum operating cycle	cycle/min	5	50
Maximum absorption capacity per unit of time	J/min [ft-lbf/min]	7.5 [5.5]	22.5 [16.6]
Spring return force <sup>Note 1</sup>	N [lbf]	2.6 [0.58]	2.9 [0.65]
Deflection angle		1° o	r less
Operating temperature range <sup>Note 2</sup>	°C [°F]	0 to 60 [3	32 to 140]

Item	Model	KSHP10×8	KSHP12×10	KSHP14×12	
Maximum absorption capacity	J [ft·lbf]	2 [1.5]	4 [3.0]	5 [3.7]	
Absorption stroke	mm [in]	8 [0.315]	10 [0.394]	12 [0.472]	
Maximum impact speed	m/s [ft/s]	2 [6.6]			
Maximum operating cycle	cycle/min		50		
Maximum absorption capacity per unit of time	J/min [ft-lbf/min]	60 [44]	120 [89]	150 [110]	
Spring return force <sup>Note 1</sup>	N [lbf]	6.5 [1.46]	9.6 [2.16]	9.0 [2.02]	
Deflection angle			1° or less		
Operating temperature range <sup>Note 2</sup>	°C [°F]	0 to 60 [32 to 140]			

Item	Model	KSHP16×15	KSHP18×20	KSHP20×22	
Maximum absorption capacity	J [ft·lbf]	10 [7.4]	15 [11.1]	20 [14.8]	
Absorption stroke	mm [in]	15 [0.591]	20 [0.787]	22 [0.866]	
Maximum impact speed	m/s [ft/s]	2 [6.6]			
Maximum operating cycle	cycle/min	40 30			
Maximum absorption capacity per unit of time	J/min [ft-lbf/min]	240 [177]	360 [266]	360 [266]	
Spring return force <sup>Note 1</sup>	N [lbf]	20.5 [4.61]	23.0 [5.17]	18.4 [4.14]	
Deflection angle		3° or less			
Operating temperature range Note 2	°C [°F]	0 to 60 [32 to 140]			

Item	Model	KSHP25×25	KSHP30×30	KSHP36×50	
Maximum absorption capacity	J [ft·lbf]	40 [29.5]	110 [81.1]	200 [147.5]	
Absorption stroke	mm [in]	25 [0.984]	30 [1.181]	50 [1.969]	
Maximum impact speed	m/s [ft/s]	2 [6.6]	3 [9.8]		
Maximum operating cycle	cycle/min	30	30 20		
Maximum absorption capacity per unit of time	J/min [ft-lbf/min]	720 [531]	1320 [974]	2400 [1770]	
Spring return force <sup>Note 1</sup>	N [lbf]	32.3 [7.26]	42.3 [9.51]	65.8 [14.79]	
Deflection angle		3° or less			
Operating temperature range <sup>Note 2</sup>	°C [°F]	0 to 60 [32 to 140]			

Note 1: The spring return force is the force of the piston rod when it returns from a full stroke. It is not stable, so cannot be used as other than rod return.

Always use a product that is within the range shown by the solid lines in the graphs on pages 6.


<sup>2:</sup> The shock absorbing capacity fluctuates based on speed and ambient temperature.

g	[OZ]

Madal	Main unit <sup>Note</sup>	Addition	nal mass		Additional parts' mass	3
Model	Main unit	With plastic cap	With rubber cap	Mounting nut (1 ea.)	Stopper nut	Side mounting bracket
KSHP6×4	5.1 [0.180]	0.2 [0.007]	_	0.4 [0.014]	2 [0.07]	8 [0.28]
KSHP8×6 (-11)	11.3 [0.399] (11.5 [0.406])	0.5 [0.018]	_	0.6 [0.021] (0.9 [0.032])	4 [0.14]	12 [0.42]
KSHP10×8	26.5 [0.935]	0.7 [0.025]	_	1.2 [0.042]	7 [0.25]	15 [0.53]
KSHP12×10	43.5 [1.534]	1.1 [0.039]	1.2 [0.042]	1.9 [0.067]	8 [0.28]	22 [0.78]
KSHP14×12	66.5 [2.346]	1.1 [0.039]	1.8 [0.063]	4 [0.141]	15 [0.53]	41 [1.45]
KSHP16×15	98.5 [3.474]	1.6 [0.056]	3.4 [0.120]	6.6 [0.233]	28 [0.99]	65 [2.29]
KSHP18×20	144 [5.08]	4.1 [0.145]	5.3 [0.187]	8.8 [0.310]	37 [1.31]	100 [3.53]
KSHP20×22	186 [6.56]	5.4 [0.190]	6.9 [0.243]	12.2 [0.430]	55 [1.94]	110 [3.88]
KSHP25×25	360 [12.70]	5.3 [0.187]	5.7 [0.201]	23 [0.811]	95 [3.35]	360 [12.70]
KSHP30×30	569 [20.07]	50 [1.76]	49 [1.73]	32.5 [1.146]	140 [4.94]	455 [16.05]
KSHP36×50	1130 [39.86]	110 [3.88]	109 [3.84]	95.5 [3.369]	330 [11.64]	2650 [93.48]

Note: The weight of the main unit includes the weight of 2 mounting nuts.


#### **Order Codes**





**30:** KSHP30

36: KSHP36




**25:** M25×1.5

**30:** M30×1.5

**36:** M36×1.5

S - KSH - M



N - KSH - M





6: M6×0.75 8: M8×0.75 **10:** M10×1 12: M12×1 14: M14×1.5 16: M16×1.5 18: M18×1.5 20: M20×1.5 **25:** M25×1.5 **30:** M30×1.5 **36:** M36×1.5

2-KSH-M8-11: (Thread size: M8×1) S-KSH-M8-11: (Thread size: M8×1) N-KSH-M8-11: (Thread size: M8×1)

#### **Inner Construction and Major Parts and Materials**

#### M6 and M8 size







No.	Name	Materials
1	Body	Stainless steel
2	Piston rod	Stainless steel
3	Inner tube	Stainless steel
4	Sleeve	Copper alloy
(5)	Adjusting knob	Copper alloy (black electroplated)
6	Plug	Stainless steel
7	Accumulator	Synthetic rubber
8	Spring	Spring steel
9	Rod seal	Synthetic rubber
10	Oil	Special oil (H1 compliant)
11)	Piston ring	Copper alloy
12	Collar	Copper alloy
13	O-ring	Synthetic rubber
14)	O-ring	Synthetic rubber
(15)	O-ring <sup>Note</sup>	Synthetic rubber
16	Screw	Mild steel (nickel plated)
17)	Mounting nut	Mild steel (nickel plated)
18	Spring pin	Steel (oxide film)
19	Сар	Plastic (POM)


Note: Not available for KSHP6×4.

#### ● Sizes M10 to M36



\*For KSHP 30  $\times$  30 and KSHP 36  $\times$  50





With plastic cap (C) With rubber cap (R)

No.	Name	Materials
	110	Materiale
1	Body	Free-cutting steel (nickel plated)
2	Piston rod	Steel (nickel plated) <sup>Note 1</sup>
3	Inner tube	Stainless steel
4	Sleeve	Copper alloy
(5)	Housing	Mild steel (black electroplated)
6	Adjusting knob	Copper alloy (nickel plated)
7	Plug	Stainless steel
8	Mounting nut	Mild steel (nickel plated)
9	Accumulator	Synthetic rubber
10	Spring	Spring steel
11)	Rod seal	Synthetic rubber
12	O-ring	Synthetic rubber
13	Lock screw	Steel (oxide film) <sup>Note 2</sup>
14)	Screw	Mild steel (zinc plated) <sup>Note 3</sup>
15)	Spring pin	Steel (oxide film)
16	Oil	Special oil (H1 compliant)
17)	Collar	Stainless steel <sup>Note 4</sup>
18)	Piston ring	Stainless steel
19	Washers <sup>Note 5</sup>	Stainless steel
20	Сар	Plastic (POM)
21)	Rubber cap	Urethane rubber
22	Сар	Plastic (POM)
23	Сар	Plastic (POM)
24)	Rubber cap	Urethane rubber
25	Metal cap	Stainless steel
26	Hexagon socket head screw	Stainless steel

Note 1: KSHP 10 to 12 are stainless steel

2: KSHP 10 to 14 are slotted lock screws.

3: KSHP 30 to 36 are stainless steel with button head screw

4: KSHP 10 are copper alloy and KSHP 12 to 14 are sintered metal


5: KSHP 18 to 20 only


#### Dimensions mm [in]

#### ■ No rod end cap: KSHP□ × □

#### With rod end cap

With plastic cap: KSHP□ × □C







Model	Α	В	С	D	E	F	G	Н	J	M	0	Р	Q	R	S	Т
KSHP6 × 4 (C)	36 [1.417]	4 [0.157]	32 [1.260]	0.5 [0.020]	M6×0.75	2 [0.079]	8 [0.315]	9.2 [0.362]	2 [0.079]	6.5 [0.256]	5.4 [0.213]	5 [0.197]	8 [0.315]	40 [1.575]	4 [0.157]	4.6 [0.181]
KSHP8×6(C)	46 [1.811]	6 [0.236]	40 [1.575]	1.2 [0.047]	M8×0.75	2 [0.079]	10 [0.394]	11.5 [0.453]	2.5 [0.098]	9 [0.354]	6 [0.236]	6.8 [0.268]	11 [0.433]	51 [2.008]	5 [0.197]	6.5 [0.256]
KSHP8 × 6 (C) -11	46 [1.811]	6 [0.236]	40 [1.575]	1.2 [0.047]	M8×1	3 [0.118]	10 [0.394]	11.5 [0.453]	2.5 [0.098]	9 [0.354]	6 [0.236]	6.8 [0.268]	11 [0.433]	51 [2.008]	5 [0.197]	6.5 [0.256]

#### ■ No rod end cap: KSHP□ X □


#### With rod end cap

With plastic cap: KSHP□ X □C






With rubber cap:  $KSHP \square \times \square R$ 




Note: Rubber cap is not available with the **KSHP10** × 8.

#### With rubber cap: For the KSHP14 × 12R




Model Symbol	Α	В	С	D	Е	F	G	Н	J	M	0	Р	Q	R	S	Т	U	٧	W	Х
KSHP10×8 (C)	69 [2.717]	8 [0.315]	56 [2.205]	6 [0.236]	M10×1	3 [0.118]	12 [0.472]	13.9 [0.547]	3 [0.118]	5 [0.197]	4 [0.157]	8.7 [0.343]	16 [0.630]	77 [3.031]	8 [0.315]	8 [0.315]	_	_	-	_
KSHP12×10 (C,R)	75 [2.953]	10 [0.394]	60 [2.362]	2 [0.079]	M12×1	4 [0.157]	14 [0.551]	16.2 [0.638]	3 [0.118]	5 [0.197]	4 [0.157]	10.7 [0.421]	20 [0.787]	85 [3.346]	10 [0.394]	10 [0.394]	85 [3.346]	20 [0.787]	10 [0.394]	10 [0.394]
KSHP14×12 (C,R)	87 [3.425]	12 [0.472]	70 [2.756]	2 [0.079]	M14×1.5	5 [0.197]	17 [0.669]	19.6 [0.772]	4 [0.157]	5 [0.197]	4 [0.157]	10.7 [0.421]	22 [0.866]	97 [3.819]	10 [0.394]	11 [0.433]	99 [3.898]	24 [0.945]	12 [0.472]	11 [0.433]
KSHP16×15 (C,R)	97 [3.819]	15 [0.591]	75 [2.953]	3 [0.118]	M16×1.5	7 [0.276]	19 [0.748]	21.9 [0.862]	4 [0.157]	7 [0.276]	5 [0.197]	13.5 [0.531]	25 [0.984]	107 [4.213]	10 [0.394]	11 [0.433]	113.5 [4.469]	31.5 [1.240]	16.5 [0.650]	13 [0.512]
KSHP18×20 (C,R)	116 [4.567]	20 [0.787]	89 [3.504]	3 [0.118]	M18×1.5	8 [0.315]	21 [0.827]	24.2 [0.953]	5 [0.197]	7 [0.276]	5 [0.197]	13.5 [0.531]	35 [1.378]	131 [5.157]	15 [0.591]	15 [0.591]	131.7 [5.185]	35.7 [1.406]	15.7 [0.618]	15 [0.591]
KSHP20×22 (C,R)	121 [4.764]	22 [0.866]	92 [3.622]	3 [0.118]	M20×1.5	8 [0.315]	24 [0.945]	27.7 [1.091]	5 [0.197]	7 [0.276]	5 [0.197]	17 [0.669]	40 [1.575]	139 [5.472]	18 [0.709]	16 [0.630]	139.2 [5.480]	40.2 [1.583]	18.2 [0.717]	16 [0.630]

#### ■ No rod end cap: KSHP25 × 25




#### With rod end cap


#### With plastic cap: KSHP25 × 25C



#### With rubber cap: KSHP25 × 25R




#### ■ No rod end cap: KSHP□ × □




#### With rod end cap

With plastic cap: KSHP X C With rubber cap: KSHP X R




Model Symbol	Α	В	С	D	E	F	G	Н	J	K	L	M	0	Р	Q	R	S	Т
KSHP30×30 (C,R)	165 [6.496]	30 [1.181]	125.5 [4.941]	4 [0.157]	M30×1.5	10 [0.394]	36 [1.417]	41.6 [1.638]	10 [0.394]	12 [0.472]	28 [1.102]	9.5 [0.374]	5.5 [0.217]	27 [1.063]	50 [1.969]	185 [7.283]	20 [0.787]	25 [0.984]
KSHP36 × 50 (C,R)	229 [9.016]	50 [1.969]	169.5 [6.673]	5 [0.197]	M36×1.5	15 [0.591]	46 [1.811]	53.1 [2.091]	12 [0.472]	12 [0.472]	33 [1.299]	9.5 [0.374]	6 [0.236]	27 [1.063]	55 [2.165]	254 [10.000]	25 [0.984]	32 [1.260]

#### ● Side mounting bracket: 2-KSH-□(-2)




Model Symbol	AE	AF	АН	AL		AP	AR	AT
2-KSH-M6	18 [0.709]	12 [0.472]	10 [0.394]	M6×0.75	φ3.4 [0.134], φ6.5 [0.256]	Counter bore depth 3.3 [0.130]	_	8 [0.315]
2-KSH-M8	19 [0.748]	13 [0.512]	13 [0.512]	M8 × 0.75	φ 3.4 [0.134], φ 6.5 [0.256]	Counter bore depth 3.3 [0.130]	_	9 [0.354]
2-KSH-M8-11	19 [0.748]	13 [0.512]	13 [0.512]	M8×1	φ 3.4 [0.134], φ 6.5 [0.256]	Counter bore depth 3.3 [0.130]	_	9 [0.354]
2-KSH-M10	22 [0.866]	14 [0.551]	14 [0.551]	M10×1	φ 3.4 [0.134], φ 6.5 [0.256]	Counter bore depth 3.3 [0.130]	_	9 [0.354]
2-KSH-M12	25 [0.984]	16 [0.630]	18 [0.709]	M12×1	φ 3.4 [0.134], φ 6.5 [0.256]	Counter bore depth 3.3 [0.130]	_	9 [0.354]
2-KSH-M14	34 [1.339]	22 [0.866]	22 [0.866]	M14 × 1.5	φ4.5 [0.177], φ8 [0.315]	Counter bore depth 4.5 [0.177]	_	10 [0.394]
2-KSH-M16	38 [1.496]	25 [0.984]	25 [0.984]	M16 × 1.5	φ4.5 [0.177], φ8 [0.315]	Counter bore depth 4.5 [0.177]	_	12 [0.472]
2-KSH-M18	50 [1.969]	34 [1.339]	30 [1.181]	M18 × 1.5	φ6.5 [0.256], φ11 [0.433]	Counter bore depth 6.5 [0.256]	_	12 [0.472]
2-KSH-M20	50 [1.969]	34 [1.339]	30 [1.181]	M20 × 1.5	φ9 [0.354], φ14 [0.551]	Counter bore depth 8.5 [0.335]	_	16 [0.630]
2-KSH-M25	60 [2.362]	44 [1.732]	35 [1.378]	M25 × 1.5	φ9 [0.354], φ14 [0.551]	Counter bore depth 8.5 [0.335]	19 [0.748]	35 [1.378]
2-KSH-M30	60 [2.362]	44 [1.732]	46 [1.811]	M30 × 1.5	φ9 [0.354], φ14 [0.551]	Counter bore depth 8.5 [0.335]	19 [0.748]	35 [1.378]
2-KSH-M36	100 [3.937]	70 [2.756]	62 [2.441]	M36 × 1.5	φ 18 [0.709], φ 26 [1.024]	Counter bore depth 18 [0.709]	50 [1.969]	80 [3.150]

#### ● Stopper nut: S-KSH-□(-S)



Model Symbol	AL	AS	AX	AY
S-KSH-M6	M6×0.75	7 [0.276]	8 [0.315]	9.2 [0.362]
S-KSH-M8	M8×0.75	11 [0.433]	10 [0.394]	11.5 [0.453]
S-KSH-M8-11	M8×1	11 [0.433]	10 [0.394]	11.5 [0.453]
S-KSH-M10	M10×1	17 [0.669]	12 [0.472]	13.9 [0.547]
S-KSH-M12	M12 × 1	17 [0.669]	14 [0.551]	16.2 [0.638]
S-KSH-M14	M14 × 1.5	18 [0.709]	17 [0.669]	19.6 [0.772]
S-KSH-M16	M16 × 1.5	30 [1.181]	19 [0.748]	21.9 [0.862]
S-KSH-M18	M18 × 1.5	35 [1.378]	21 [0.827]	24.2 [0.953]
S-KSH-M20	M20 × 1.5	35 [1.378]	24 [0.945]	27.7 [1.091]
S-KSH-M25	M25 × 1.5	40 [1.575]	30 [1.181]	34.6 [1.362]
S-KSH-M30	M30 × 1.5	40 [1.575]	36 [1.417]	41.6 [1.638]
S-KSH-M36	M36 × 1.5	50 [1.969]	46 [1.811]	53.1 [2.091]

#### ● Mounting nut: **N-KSH-**□



Model Symbol	AL	F	G	Н
N-KSH-M6	M6×0.75	2 [0.079]	8 [0.315]	9.2 [0.362]
N-KSH-M8	M8×0.75	2 [0.079]	10 [0.394]	11.5 [0.453]
N-KSH-M8-11	M8×1	3 [0.118]	10 [0.394]	11.5 [0.453]
N-KSH-M10	M10×1	3 [0.118]	12 [0.472]	13.9 [0.547]
N-KSH-M12	M12×1	4 [0.157]	14 [0.551]	16.2 [0.638]
N-KSH-M14	M14×1.5	5 [0.197]	17 [0.669]	19.6 [0.772]
N-KSH-M16	M16×1.5	7 [0.276]	19 [0.748]	21.9 [0.862]
N-KSH-M18	M18×1.5	8 [0.315]	21 [0.827]	24.2 [0.953]
N-KSH-M20	M20 × 1.5	8 [0.315]	24 [0.945]	27.7 [1.091]
N-KSH-M25	M25 × 1.5	10 [0.394]	30 [1.181]	34.6 [1.362]
N-KSH-M30	M30 × 1.5	10 [0.394]	36 [1.417]	41.6 [1.638]
N-KSH-M36	M36×1.5	15 [0.591]	46 [1.811]	53.1 [2.091]

## M E M O




# **Limited Warranty**

KOGANEI CORP. warrants its products to be free from defects in material and workmanship subject to the following provisions.

#### **Warranty Period**

The warranty period is 180 days from the date of delivery.

#### Koganei Responsibility

If a defect in material or workmanship is found during the warranty period, KOGANEI CORP. will replace any part proved defective under normal use free of charge and will provide the service necessary to replace such a part.

#### Limitations

This warranty is in lieu of all other warranties, expressed or implied, and is limited to the original cost of the product and shall not include any transportation fee, the cost of installation or any liability for direct, indirect or consequential damage or delay resulting from the defects.

- KOGANEI CORP. shall in no way be liable or responsible for injuries or damage to persons or property arising out of the use or operation of the manufacturer's product.
- This warranty shall be void if the engineered safety devices are removed, made inoperative or not periodically checked for proper functioning.
- Any operation beyond the rated capacity, any improper use or application, or any improper installation of the product, or any substitution upon it with parts not furnished or approved by KOGANEI CORP., shall void this warranty.
- This warranty covers only such items supplied by KOGANEI CORP. The products of other manufacturers are covered only by such warranties made by those original manufacturers, even though such items may have been included as the components.

The specifications are subject to change without notice.

URL http://www.koganei.co.jp

E-mail: overseas@koganei.co.jp



#### KOGANEI CORPORATION

#### **OVERSEAS DEPARTMENT**

3-11-28, Midori-cho, Koganei City, Tokyo 184-8533, Japan Tel: 81-42-383-7271 Fax: 81-42-383-7276

#### KOGANEI INTERNATIONAL AMERICA, INC.

39300 Civic Center Dr., Suite 280, Fremont, CA 94538, U.S.A. Tel : 1-510-744-1626 Fax : 1-510-744-1676

#### SHANGHAI KOGANEI INTERNATIONAL TRADING CORPORATION

Room 2606-2607, Tongda Venture Building No.1, Lane 600, Tianshan Road, Shanghai, 200051, China Tel: 86-21-6145-7313 Fax: 86-21-6145-7323

#### TAIWAN KOGANEI TRADING CO., LTD.

Rm. 2, 13F., No88, Sec. 2, Zhongxiao E. Rd., Zhongzheng Dist., Taipei City 100, Taiwan (ROC)
Tel: 886-2-2393-2717 Fax: 886-2-2393-2719

#### KOGANEI KOREA CO., LTD.

KT&G Cosmo Bldg., 3F, 40-13, Maesanno 2-ga, Paldal-gu, Suwon-si, Gyeonggi-do, 442-847, Korea
Tel: 82-31-246-0414 Fax: 82-31-246-0415

#### KOGANEI (THAILAND) CO., LTD.

3300/90, Tower B, Elephant Tower,16th Fl., Phaholyothin Road, Chomphon, Chatuchak, Bangkok 10900, Thailand Tel: 66-2-937-4250 Fax: 66-2-937-4254

#### KOGANEI ASIA PTE. LTD.

12 Arumugam road #03-12, Lion Building B, 409958, Singapore Tel: 65-6293-4512 Fax: 65-6293-4513